

## FARMACOS QUE CONTIENEN LACTOSA

Relación de fármacos que contienen lactosa como excipiente:

- ◆ Acabel®, 4 mg, 8 mg
- ◆ Acediur®, 20/12,5
- ◆ Acetensil plus®, 20/12,5
- ◆ Acfol®, 5 mg
- ◆ Aciclovir Alonga®, 200 mg
- ◆ Aciclovir Bayvit®, 200 mg
- ◆ Aciclovir Italfarmaco®, 200 mg
- ◆ Aciclovir Logogen®, 200 mg
- ◆ Aciclovir Pharmagenus®, 200 mg
- ◆ Acidion®
- ◆ Acido Fólico Aspol®, 10 mg
- ◆ Acido Nalidíxico Prodes®, 500 mg
- ◆ Acifugan®, 100/200 mg
- ◆ Acuprel®, 5 mg, 20 mg, 40 mg
- ◆ Acuretic®, 20/12,5 mg
- ◆ Adalat Retard®, 20 mg
- ◆ Adolonta Retard®, 100 mg, 150 mg, 200 mg
- ◆ Adumbran®, 10 mg
- ◆ Aeroflat®, 5/310 mg
- ◆ Aftasone B C®, 400 mg
- ◆ Agarol Aloina®, 3 mg
- ◆ Agreal®, 100 mg
- ◆ Agudil®
- ◆ Akineton®, 2 mg
- ◆ Alapryl®, 40 mg
- ◆ Aldactine®, 25/15mg
- ◆ Aldocumar®, 10 mg
- ◆ Alergical®
- ◆ Alergist®, 60 mg
- ◆ Alerlisin®, 10 mg
- ◆ Alermizol®, 10 mg
- ◆ Alfetim®, 2,5 mg
- ◆ Alginasdin Retard, 600 mg
- ◆ Aligest plus®
- ◆ Alopresin®, 25 mg, 50 mg, 100 mg
- ◆ Alopresin diu®, 50/25 mg
- ◆ Alopurinol Ratiopharm®, 300 mg
- ◆ Alprazolam Efarmes®, 0,25 mg, 0,5 mg, 1 mg, 2 mg
- ◆ Alprazolam Geminis®, 0,25 mg, 0,5 mg, 1 mg, 2 mg
- ◆ Alprazolam Merck®, 0,25 mg, 0,5 mg, 1 mg
- ◆ Altesona®, 25 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Altior®, 200 mg
- ◆ Alugel®, 450 mg
- ◆ Alugel Magnesiado®, 264/128 mg
- ◆ Aluzime®, 1 mg
- ◆ Ambaxino®, 400 mg
- ◆ Ambritan®, 1 mg
- ◆ Ambrolitic®, 30 mg
- ◆ Ambroxol Bexal®, 30 mg
- ◆ Ameride®, 5/50 mg
- ◆ Amicrobin®, 400 mg
- ◆ Amoclave® 500/125 mg, 250/62,5 mg
- ◆ Amoxtiol®, 500 mg/300 mg
- ◆ Anafranil®, 10 mg, 25 mg
- ◆ Androcur®, 50 mg
- ◆ Aneurol®, 5/10 mg
- ◆ Ansium Lesvi®
- ◆ Antaxone®, 50 mg, 25 mg
- ◆ Antibiofilus®
- ◆ Antifloxil®, 50 mg, 100 mg
- ◆ Arcasin®, 5 mg, 10 mg, 20 mg
- ◆ Arcoiran®, 50 mg
- ◆ Ardine bronquial®, 500 mg/8 mg, 250 mg/4 mg
- ◆ Aricept®, 5 mg, 10 mg
- ◆ Arimidex®, 1 mg
- ◆ Armaya®, 40 mg
- ◆ Armaya fte®, 120 mg
- ◆ Arteolol®, 5 mg
- ◆ Artrotec®, 50 mg/200 mcg
- ◆ Asasantin®, 50/75 mg
- ◆ Ascal 38®, 38 mg
- ◆ Aspaserine B6 tranq®, 5/10 mg
- ◆ Aspinfantil®, 125 mg
- ◆ Astemizole Alonga®, 10 mg
- ◆ Astonin Merck®, 0,1 mg
- ◆ Atacand®, 8 mg, 16 mg
- ◆ Atarax®, 25 mg
- ◆ Atenolol Merck®, 50 mg, 100 mg
- ◆ Atiramin®
- ◆ Audazol®, 20 mg
- ◆ Aulcer®, 20 mg
  
- ◆ Bactisubtil®
- ◆ Bambec®, 10 mg
- ◆ Baripril®, 5 mg, 20 mg
- ◆ Baripril Diu®, 20/12,5 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Becozyme C Forte®
  - ◆ Beglan®, accuhaler 50 mcg
  - ◆ Beglunina®, 165 mg
  - ◆ Benadryl®, 25 mg, 50 mg
  - ◆ Berotec®, 2,5 mg
  - ◆ Betadipresan®, 50/100 mg
  - ◆ Betadipresan Diu®
  - ◆ Betamican®, accuhaler, 50 mcg
  - ◆ Bicetil®, 20/12,5 mg
  - ◆ Bifort®
  - ◆ Bisolvon®, 4 mg
  - ◆ Bisolvon Amoxicilina®, 250 mg
  - ◆ Bitensil®, 5 mg, 20 mg
  - ◆ Blaston®, 1mg
  - ◆ Bogil®, 330 mg
  - ◆ Boi K®
  - ◆ Boi K Aspártico®
  - ◆ Boldolaxin®
  - ◆ Boltin®, 2,5 mg
  - ◆ Borea®, 160 mg
  - ◆ Bratenol®, 375 mg
  - ◆ Brexinil®, 20 mg
  - ◆ Brinerdina®
  - ◆ Bristacol, 10 mg
  - ◆ Brolin®, 20 mg, 40 mg
  - ◆ Bromselon®, 10 mg
  - ◆ Broncoral®, 12 mcg
  - ◆ Buprex®, 0,2 mg
  - ◆ Buscapina compositum, 10/250 mg
  - ◆ Buspar®, 10 mg
  - ◆ Busulfan Wellcome®, 0,5 mg, 2 mg
  - ◆ Buto Asma® oral, 2 mg
- 
- ◆ Cafergot PB®, supositorios
  - ◆ Cafinitrinina normal®
  - ◆ Capoten®, 12,5 mg, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Apothecon®, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Bayvit®, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Cinfa®, 25 mg, 50 mg,
  - ◆ Captopril Esteve®, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Merck®, 25 mg, 50 mg
  - ◆ Captopril Normon®, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Pharmagenus®, 25 mg, 50 mg, 100 mg
  - ◆ Captopril Ratiopharm®, 25 mg, 50 mg
  - ◆ Captopril Tamarang®, 12,5 mg, 25 mg, 50 mg, 100 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Cardioquine®, 275 mg
- ◆ Cardiovas retard®, 60 mg
- ◆ Cardiser Retard®, 240 mg
- ◆ Carduran®, 2 mg, 4 mg
- ◆ Catapresan®, 0,15 mg
- ◆ Caverjet®, 10 mcg, 20 mcg, vial
- ◆ Cedrol®, 10 mg
- ◆ Celesemine®, 96,5 mg
- ◆ Celestone oral®, 0,5 mg
- ◆ Celestone oral repetabs®, 1 mg
- ◆ Celupan®, 50 mg
- ◆ Cemidon 50 B6®, 50/15 mg
- ◆ Ceprandal®, 20 mg
- ◆ Cesplon®, 12,5 mg, 25 mg, 50 mg, 100 mg
- ◆ Cesplon plus®, 50/25 mg
- ◆ Cetovinca®, 20 mg
- ◆ Chantiline sostenida®, 250 mg, 375 mg
- ◆ Chloromycetin®, 250 mg
- ◆ Cibacen®, 10 mg, 20 mg
- ◆ Cidine®, 1mg
- ◆ Cincofarm®, 100 mg
- ◆ Ciprok®, 250 mg, 500 mg, 750 mg
- ◆ Cirkused®, 140 mg
- ◆ Cisorcinol®, 25 mg, 10 mg
- ◆ Citroflavona®
- ◆ Civeran®, 10 mg
- ◆ Clarinase repetabs®
- ◆ Clarityne®, 10 mg
- ◆ Clarmyl®, 10 mg, 20 mg
- ◆ Clavumox® “500”, “250” sobres
- ◆ Cleboril®, 0,5 mg
- ◆ Climen®
- ◆ Clinwas®, 150 mg, 300 mg
- ◆ Clipto®, 5 mg, 20 mg
- ◆ Clisin®,
- ◆ Clobendian Retard®, 240 mg
- ◆ Clomifen Casen® 25 mg
- ◆ Clopixon®, 10 mg
- ◆ Co Renitec®, 20/12,5 mg
- ◆ Cobiona®, 30 mg
- ◆ Codipront®
- ◆ Cognex®, 10 mg, 20 mg, 30 mg, 40 mg
- ◆ Colambil®, 250 mg
- ◆ Colchicine Houde®, 1 mg
- ◆ Colemin®, 10 mg, 20 mg, 40 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Complutine®, 5/10 mg
- ◆ Confobos®, 20 mg, 40 mg
- ◆ Controlvas®, 5 mg, 20 mg
- ◆ Contugesic retard®, 60 mg, 90 mg, 120 mg
- ◆ Cordilan retard®, 20 mg
- ◆ Cordiplast®, “10”, “5” parches
- ◆ Cornel®, 10 mg
- ◆ Coronur®, 20 mg, 40 mg
- ◆ Coronur retard®, 40 mg
- ◆ Coropres®, 6,25 mg, 12,5 mg, 25 mg
- ◆ Corpea®, 2 mg, 4 mg
- ◆ Coslan®, 250 mg
- ◆ Coversyl®, 4 mg
- ◆ Cozaar®, 12,5 mg, 50 mg
- ◆ Cozaar plus®, 50/12,5 mg
- ◆ Crinoren®, 5 mg, 20 mg
- ◆ Crinoretic®, 20/12,5 mg
- ◆ Cyater®, 60 mg
- ◆ Cycladol®, 191,2 mg
- ◆ Cynt®, 0,2 mg, 0,3 mg, 0,4 mg
  
- ◆ Dabonal®, 5 mg, 20 mg
- ◆ Dabonal plus®, 20/12,5 mg
- ◆ Dacortin®, 2,5 mg, 5 mg, 30 mg
- ◆ Dacortin H®, 5 mg
- ◆ Daktarin oral®, 250 mg
- ◆ Dalacin®, 150 mg, 300 mg
- ◆ Dalamon®
- ◆ Dalparan®, 10 mg
- ◆ Dama-lax®
- ◆ Danatrol®, 50 mg, 100 mg, 200 mg
- ◆ Daonil®, 5 mg
- ◆ Dapaz®, 400 mg
- ◆ Daraprim®, 25 mg
- ◆ Dardex®, 25 mg, 50 mg, 100 mg
- ◆ Datolan®, 7,5 mg
- ◆ Decadran oral®, 0,5 mg
- ◆ Decentan®, 8 mg
- ◆ Decresco®, 50/25 mg
- ◆ Deftan®, 70 mg
- ◆ Demiax®, 20 mg
- ◆ Deprax®, 25 mg, 50 mg, 100 mg
- ◆ Dexa Tavegil®
- ◆ Dexnon®, 100 mcg
- ◆ Dezacor®, 6 mg, 30 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Diane 35®
- ◆ Diatolil®, 15 mg
- ◆ Diazepam Prodes®, 2,5 mg, 5 mg, 10 mg
- ◆ Diazepam Normon®, 5 mg
- ◆ Dicinone®, 500 mg
- ◆ Diclofenaco Altter®, 50 mg
- ◆ Diclofenaco Farmabion®, 50 mg
- ◆ Diclofenaco Geminis®, 50 mg
- ◆ Diclofenaco juvenus®, 100 mg retard
- ◆ Diclofenaco Llorens®, 50 mg
- ◆ Diclofenaco Rubió®, 50 mg
- ◆ Dicorvin®, 500 mg
- ◆ Dicorynan®, 100 mg
- ◆ Difaterol retard®, 400 mg
- ◆ Diflamil®, 125 mg
- ◆ Diflucan®, 50 mg, 100 mg, 200 mg
- ◆ Diflucan ginecológico®, 150 mg
- ◆ Digervin®, 20 mg, 40 mg
- ◆ Digestomen complex®,
- ◆ Digoxina Boehringer®, 0,25 mg
- ◆ Digton Forte®, 200 mg
- ◆ Digton®, 50 mg
- ◆ Dyhidergot retard®, 2,5 mg
- ◆ Dyhidergot®, 1 mg
- ◆ Dilabar®, 25 mg, 50 mg
- ◆ Dilabar Diu®, 50/25 mg
- ◆ Dilafurane®, 100 mg
- ◆ Dilcor®, 10 mg
- ◆ Diltiwas®, 60 mg
- ◆ Diltiwas retard®, 240 mg
- ◆ Dilutol®, 5 mg, 10 mg
- ◆ Dilutol HTA®, 2,5 mg
- ◆ Dinisor®, 60 mg
- ◆ Dinisor Retard®, 120 mg, 180 mg
- ◆ Disofrol®
- ◆ Dispromil®, 40 mg
- ◆ Distensan®, 10 mg, 20 mg
- ◆ Ditensor®, 5 mg, 20 mg
- ◆ Ditropan®, 5 mg
- ◆ Diu Rauwiplus®
- ◆ Diurex®, 20 mg
- ◆ Diuzine®, 5/50 mg
- ◆ Doblelexan®, 20 mg, 10 mg
- ◆ Dobupal®, 37,5 mg, 50 mg, 75 mg
- ◆ Doclis®, 60 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Doclis Retard®, 120 mg
- ◆ Dogmatil fuerte®, 200 mg
- ◆ Dogmatil®, 50 mg
- ◆ Dolosarto®, 112 mg
- ◆ Domperidona Gamir®, 10 mg
- ◆ Donix®, 1 mg, 5 mg
- ◆ Donormyl®, 25 mg
- ◆ Dopergin®, 0,2 mg, 1 mg
- ◆ Dorken®, "5", "10", "25"
- ◆ Dormicum®, 7,5 mg
- ◆ Dosil®, 100 mg
- ◆ Dosil enzimático®
- ◆ Doxi crisol®, 100 mg
- ◆ Doxiciclina Logogen®, 100 mg
- ◆ Doxium®, 250 mg
- ◆ Doxorubicina Tedec®, 10 mg, 50 mg
- ◆ Droal®, 10 mg
- ◆ Dulco Laxo®, 5 mg
- ◆ Duo Gobens®
- ◆ Duphalac®
- ◆ Duphaston®, 10 mg
- ◆ Duplicalcio B12®
- ◆ Duplicalcio hidraz®
- ◆ Duracef®, 500 mg
- ◆ Duspatalin®, 135 mg
  
- ◆ Ebastel®, 10 mg
- ◆ Ecadiu®, 50/25 mg
- ◆ Ecazide®, 50/25 mg
- ◆ Ectreen®, 20 mg, 40 mg
- ◆ Effiplen®, 5 mg, 10 mg
- ◆ Efortil®, 5 mg
- ◆ Efortil retard®, 25 mg
- ◆ Elacto®, polvo 500 mg, 1000 mg
- ◆ Eldicet®, 50 mg
- ◆ Enalapril Tamarang®, 5 mg
- ◆ Entocord enema®, 2 mg
- ◆ Epanutin®, 100 mg
- ◆ Ephynal®, 100 mg
- ◆ Equin®, 0,625 mg
- ◆ Ernodasa®
- ◆ Ery Max®, 250 mg
- ◆ Esclebin®, 400 mg
- ◆ Esidrex®, 25 mg
- ◆ Eskazole®, 400 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Esmacen®, 10 mg
- ◆ Espasmo canulasa®, 130 mg
- ◆ Espeden®, 400 mg
- ◆ Espledol®, 60 mg
- ◆ Estimulocel®, 100 mg
- ◆ Etumina®, 40 mg
- ◆ Euglucon®, 5 mg
- ◆ Eulexin®, 250 mg
- ◆ Eulitop®, 200 mg
- ◆ Eulitop retard®, 400 mg
- ◆ Eupeptina®, 65 g
- ◆ Extur®, 2,5 mg
  
- ◆ Faltium®, 100 mg
- ◆ Famciclovir Smithkline®, 125 mg
- ◆ Famotidina Harkley®, 20 mg, 40 mg
- ◆ Famotidina Mabo®, 20 mg, 40 mg
- ◆ Famvir®, 250 mg, 125 mg
- ◆ Fanox®, 20 mg, 40 mg
- ◆ Fereston®, 60 mg
- ◆ Farlital®, 100 mg, 500 mg
- ◆ Farmadiuril®, 1 mg
- ◆ Farmiblastina®, 10 mg, 50 mg
- ◆ Farmorubicina®, 10 mg, 50 mg
- ◆ Feldene®, 20 mg
- ◆ Felixene®, 250 mg, 500 mg
- ◆ Femara®, 2,5 mg
- ◆ Fenistil®, 1 mg
- ◆ Fensel®, 5 mg
- ◆ Feparil®, 20 mg
- ◆ Ferro Semar®, 275 mg
- ◆ Ferroprotina®, 300 mg
- ◆ Fiboran®, 50 mg
- ◆ Fisium®, 8 mg
- ◆ Finedal®, 30 mg
- ◆ Fisifax®, 5 mg
- ◆ Fisiogastrol®, 5 mg, 10 mg
- ◆ Flerudin®, 5 mg
- ◆ Flexagil®
- ◆ Flicum®, 100 mg
- ◆ Fluor Lacer®, 1 mg
- ◆ Fluoro Uracil®, 250 mg
- ◆ Fluoxetina Ratiopharm®, 20 mg
- ◆ Flurpax®, 5 mg
- ◆ Flusemide®, 20 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Flutamida Bristol®, 250 mg
- ◆ Flutamida Elfar®, 250 mg
- ◆ Folaxin®, 7,5 mg
- ◆ Forcemil®
- ◆ Fordiuran®, 1 mg
- ◆ Fortasec®, 2 mg
- ◆ Fortecortin oral®, 1 mg
- ◆ Fosamax®, 10 mg
- ◆ Fosgluten reforzado®
- ◆ Fosinil®, 10 mg
- ◆ Fositens®, 20 mg
- ◆ Fositens plus®, 20/12,5 mg
- ◆ Frenal®, 20 mg
- ◆ Frenal compositum®
- ◆ Frinova®, 25 mg
- ◆ Fucidine®, 250 mg
- ◆ Fungarest®, 200 mg
  
- ◆ Gabitril®, 5 mg, 10 mg, 15 mg
- ◆ Garanil®, 25 mg, 50 mg, 100 mg
- ◆ Gastrimut®, 20 mg
- ◆ Gastrion®, 20 mg, 40 mg
- ◆ Gastro H2 Lesvi®, 400 mg
- ◆ Gastrodomina®, 20 mg, 40mg
- ◆ Gatinar®
- ◆ Genoxal®, 50 mg
- ◆ Genoxal Trofosfamida®, 50 mg
- ◆ Gericin®, 10 mg, 20 mg
- ◆ Glibenese®, 5 mg
- ◆ Glucagón Gen hipokit Nov®, 1 mg
- ◆ Glucolon®, 5 mg
- ◆ Glurenol®, 30 mg
- ◆ Gobanal®, 5/10 mg
- ◆ Godabion B6®, 200 mg
- ◆ Gopten®, 0,5 mg, 2 mg
- ◆ Goxil®, 250 mg
- ◆ Grasmin®, 10 mg
- ◆ Grisetin®, 250 mg
- ◆ Guaxan®, 100 mg, 50 mg
- ◆ Gynovin®
  
- ◆ Halcion®, 0,125 mg
- ◆ Haloperidol Esteve®, 0,5 mg
- ◆ Harmonet®
- ◆ HCG Lepori®, 500 UI, 1000 UI, 2500 UI

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Helmine®, 4 mg, 8 mg
- ◆ Hemicraneal®
- ◆ Hemo 141®, 250 mg
- ◆ Herten®, 50 mg, 20 mg
- ◆ Hexanium®, 50 mg
- ◆ Hiberix®, 10 mcg
- ◆ Hicarlex®, 10 mg
- ◆ Hidroaltesona®, 20 mg
- ◆ Hidrosaluretil®, 50 mg
- ◆ Hiperico Aquilea®, 300 mg
- ◆ Hiperlex®, 20 mg
- ◆ Hiperlex plus®, 20/12,5 mg
- ◆ Hipoartel®, 5 mg, 20 mg
- ◆ Hipoartel plus®, 20/12,5 mg
- ◆ Hismanal®, 10 mg
- ◆ Histaminos®, 10 mg
- ◆ Hivid®, 0,75 mg
- ◆ HMG Lepori®, 75/75 UI
- ◆ Honvan®, 100 mg
- ◆ Huberdilat®, 100 mg
- ◆ Hubermizol®, 10 mg
- ◆ Huberplex®, 10 mg
- ◆ Hydergina®, 4,5 mg
- ◆ Hydrea®, 500 mg
  
- ◆ Ibercal®, 1,852 g
- ◆ Idalprem®, 1 mg
- ◆ Idulanex®
- ◆ Igril®
- ◆ Imigran®, 50 mg
- ◆ Imodium®, 2 mg
- ◆ Improntal®, 20 mg
- ◆ Imurel®, 50 mg
- ◆ Inacid®, 25 mg
- ◆ Inalacor accuhaler®
- ◆ Inaspir accuhaler®
- ◆ Indapamida Merck®, 2,5 mg
- ◆ Indurgan®, 20 mg
- ◆ Infloran®
- ◆ Ingastril®, 20 mg, 40 mg
- ◆ Inhibace®, 1 mg, 2,5 mg, 5 mg
- ◆ Inhibace plus®, 5/12,5 mg
- ◆ Iniston®
- ◆ Inocar®, 1 mg, 2,5 mg, 5 mg
- ◆ Insup®, 20 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Insuven®, 300 mg
- ◆ Intal®, 20 mg
- ◆ Iso Lacer®, 5 mg
- ◆ Iso Lacer retard®, 20 mg, 60 mg
- ◆ Isodiur®, 5 mg, 10 mg
- ◆ Isodiur HTA®, 2,5 mg
- ◆ Isonitril®, 20 mg
  
- ◆ Kalma®, 200 mg
- ◆ Kalten®
- ◆ Katovit®
- ◆ Kelbium®, 100 mg
- ◆ Kelosal®, 5 mg, 10 mg
- ◆ Kemadren®, 5 mg
- ◆ Ketoconazol Ratiopharm®, 200 mg
- ◆ Ketoisdin®, 200 mg
- ◆ Ketoprofeno Ratiopharm®, 50 mg
- ◆ Kinciclina®, 250 mg
- ◆ Kinet®, 5 mg, 10 mg
- ◆ Kredex®, 6,25 mg, 12,5 mg, 25 mg
- ◆ Kytril®, 1 mg
  
- ◆ Labileno®, 25 mg, 50 mg, 100 mg, 200 mg
- ◆ Labopal®, 10 mg, 20 mg
- ◆ Lacerdermol®
- ◆ Lacerol retard®, 240 mg
- ◆ Lacimen®, 2 mg, 4 mg
- ◆ Lacipil®, 2 mg, 4 mg
- ◆ Lacteol del Dr. Boucard®
- ◆ Lactofilus®, 20g
- ◆ Lactolifil®, 2 g
- ◆ Lamictal®, 50 mg, 100 mg, 200 mg
- ◆ Lanacordin®, 0,25 mg
- ◆ Lanirapid®, 0,1 mg
- ◆ Largactil®, 25 mg, 100 mg
- ◆ Largatrex®, "25", "100"
- ◆ Largitol®, 80 mg
- ◆ Laridal®, 10 mg
- ◆ Lavisia®, 50 mg, 100 mg, 150 mg, 200 mg
- ◆ Lecibral®, 20 mg
- ◆ Leponex®, 25 mg, 100 mg
- ◆ Lercadip®, 10 mg
- ◆ Lergocil®, 1 mg
- ◆ Lerzam®, 10 mg
- ◆ Leuco Hubber®, 500 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Leukeran®, 2 mg, 5 mg
- ◆ Levothroid®, 50 mcg, 100 mcg
- ◆ Lexatin®, 1,5 mg, 3 mg, 6 mg
- ◆ Lidaltrin®, 5 mg, 20 mg, 40 mg
- ◆ Lidaltrin Diu®, 20/12,5 mg
- ◆ Lifril®, 50 mg
- ◆ Limovan®, 7,5 mg
- ◆ Lincil®, 20 mg, 30 mg
- ◆ Lincocin®, 500 mg
- ◆ Liparison®, 100 mg
- ◆ Lipemol®, 10 mg, 20 mg, 40 mg
- ◆ Liplat®, 10 mg, 20 mg
- ◆ Lipograsil®
- ◆ Liposcler®, 20 mg
- ◆ Lobivon®, 5 mg
- ◆ Lofton®, 150 mg
- ◆ Logradin®
- ◆ Loitin®, 50 mg, 100 mg, 150 mg, 200 mg
- ◆ Longacor Nativelle®, 275 mg
- ◆ Loniten®, 10 mg
- ◆ Losec®, 20 mg
- ◆ Luase®, 50 mg
- ◆ Lucenfal®, 20 mg
- ◆ Ludiomil®, 10 mg, 25 mg, 75 mg
- ◆ Luminaletas®, 15 mg
- ◆ Lupidon®
- ◆ Luzone forte®, 12 mg
- ◆ Luzone®, 6 mg
  
- ◆ Macmiror vaginal®, 250 mg
- ◆ Magnogene®
- ◆ Magnurool®, 2 mg, 5 mg
- ◆ Majeptil®, 10 mg
- ◆ Manerix®, 150 mg, 300 mg
- ◆ Manidon®, 80 mg
- ◆ Manidon retard®, 120 mg
- ◆ Mansal®, 200 mg, 400 mg
- ◆ Martimil®, 10 mg, 25 mg
- ◆ Masdil®, 25 mg, 60 mg
- ◆ Maygace®, 40 mg, 160 mg
- ◆ Maynar®, 200 mg, 800 mg
- ◆ Mebonat®, 520 mg
- ◆ Meclomen®, 10 mg
- ◆ Mederreumol®, 25 mg
- ◆ Megefren®, 160 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Meleril®, 10 mg, 50 mg, 100 mg
- ◆ Melfalan Wellcome®, 2 mg, 5 mg
- ◆ Meliane®
- ◆ Mercaptopurina Wellcome®, 50 mg
- ◆ Meriestra®, 1 mg, 2 mg
- ◆ Merigest®
- ◆ Merigest combi®, 1 mg, 2 mg
- ◆ Mestinon®, 60 mg
- ◆ Metagliz®, 10 mg
- ◆ Metasedin®, 5 mg
- ◆ Metorene®, 5 mg
- ◆ Micebrina®
- ◆ Micebrina complex®
- ◆ Micebrina complex ginseng®
- ◆ Micebrina ginseng®
- ◆ Micoticum®, 200 mg
- ◆ Microdiol®
- ◆ Microgynon®
- ◆ Micturol sedante®
- ◆ Mikelan®, 5 mg
- ◆ Minodiab®, 5 mg
- ◆ Mircol®, 5 mg
- ◆ Mirtilus®
- ◆ Mistamine®, 10 mg
- ◆ Mizolen®, 10 mg
- ◆ Monodiodal®, 100 mg
- ◆ Molsidain®, 2 mg, 4 mg
- ◆ Mosegor®, 0,5 mg
- ◆ Motens®, 4 mg
- ◆ Motilium®, 10 mg
- ◆ Motosol®, 30 mg
- ◆ Movalis®, 7,5 mg, 15 mg
- ◆ Moxon®, 0,2 mg, 0,3 mg, 0,4 mg
- ◆ MST continuus®, 5 mg, 10 mg, 30 mg, 60 mg, 100 mg
- ◆ Mucorex ampicilina®, 500/200 mg
- ◆ Multibionta mineral®
- ◆ Mutabase®, 2/10 mg, 2/25, 4/10, 4/25
- ◆ Mycostatin®, 500,000 U
- ◆ Myo Hermes®, 20 mg
- ◆ Myolastan®, 50 mg
  
- ◆ Nacor®, 5 mg, 20 mg
- ◆ Nad Medical®, 100 mg
- ◆ Nalion®, 400 mg
- ◆ Naprilene®, 5 mg, 20 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Narimig®, 2,5 mg
- ◆ Narine repetabs®
- ◆ Narol®, 5 mg, 10 mg
- ◆ Natecal®, 600 mg
- ◆ Nauzelin®, 10 mg
- ◆ Navicalm®, 25 mg
- ◆ Navoban®, 5 mg
- ◆ Neblik®, 12 mcg
- ◆ Nebulasma®, 20 mg
- ◆ Nemestran®, 2,5 mg
- ◆ Neo Bacitrin® polvo
- ◆ Neo Fertinorm®, 75 UI
- ◆ Neo Lyndiol®
- ◆ Neo Melubrina®
- ◆ Neogynona®
- ◆ Neotensin®, 5 mg, 20 mg
- ◆ Neotensin Diu®, 20/12,5 mg
- ◆ Nerdipina®, 20 mg
- ◆ Nergadan®, 20 mg, 40 mg
- ◆ Neurontin®, 100 mg, 300 mg, 400 mg
- ◆ Nicardipino Ratiopharm®, 20 mg
- ◆ Nicardipino Seid®, 20 mg
- ◆ Nico Hepatocin®
- ◆ Nitrendipino Ratiopharm®, 20 mg
- ◆ Nobritol®, 12,5/5 mg
- ◆ Nobritol F®, 25 mg/10 mg
- ◆ Noctamid®, 1 mg, 2 mg
- ◆ Noiafren®, 10 mg, 20 mg
- ◆ Nolvadex®, 10 mg, 20 mg
- ◆ Norglicem 5®, 5 mg
- ◆ Norpramin®, 20 mg
- ◆ Norprolac®, 25 mcg, 50 mcg, 75 mcg
- ◆ Novelciclina®, 100 mg
- ◆ Novelian®, 50 mg
- ◆ Novo Melandina®, 5 mg
- ◆ Nuclosina®, 20 mg
- ◆ Nuvelle®
- ◆ Nytol®, 25 mg
  
- ◆ Odrik®, 0,5 mg, 2 mg
- ◆ Oflovir®, 200 mg
- ◆ Oldan®, 60 mg
- ◆ Olicard®, 20 mg, 40 mg
- ◆ Olicard Retard®, 60 mg
- ◆ Omapren®, 20 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Ompranyt®, 20 mg
- ◆ Oncosal®, 250 mg
- ◆ Optimin®, 10 mg
- ◆ Oragalin espasmolítico®
- ◆ Oralsone®, 2,5 mg
- ◆ Oraltrol®, 50 mg
- ◆ Orelox®, 100 mg
- ◆ Orgametril®, 5 mg
- ◆ Ormesul®
- ◆ Ornade®
- ◆ Orudis®, 50 mg, 100 mg
- ◆ Osteum®, 200 mg
- ◆ Otreon®, 100 mg
- ◆ Ovestinon®, 0,25 mg, 1 mg, 2 mg
- ◆ Oxis Turbuhaler®
- ◆ Oxitover®, 100 mg
- ◆ Oxleti®, 30 mg
- ◆ Oxodal®, 20 mg
  
- ◆ Pancreas Lacer®, 2,5 g
- ◆ Pancreolauryl Tes®t
- ◆ Panfungol®, 200 mg
- ◆ Pantobionta®
- ◆ Pantok®, 10 mg, 20 mg, 40 mg
- ◆ Paracodina®, 10 mg
- ◆ Paralergin®, 10 mg
- ◆ Parapres®, 4 mg, 8 mg, 16 mg
- ◆ Parizac®, 20 mg
- ◆ Parlodel®, 2,5 mg, 5 mg
- ◆ Paxtibi®, 25 mg
- ◆ Penglobe®, 400 mg
- ◆ Percorina®, 20 mg
- ◆ Perduretas codeina retard®, 50 mg
- ◆ Perfudal®, 5 mg
- ◆ Pergonal 500®, 75/75 UI
- ◆ Periactin®, 4 mg
- ◆ Perifem®
- ◆ Pervasum®, 75 mg
- ◆ Pharken®, 50 mcg, 250 mcg
- ◆ Pirarubicina Almirall®, 10 mg, 20 mg, 50 mg
- ◆ Pirazinamida Prodes®, 250 mg
- ◆ Piridasmin retard®, 300 mg
- ◆ Pirifedrina®
- ◆ Piroxicam Panto Farma®, 20 mg
- ◆ Piroxicam Ratiopharm®, 20 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Polaramine®, 2mg, 6 mg
- ◆ Polibutin®, 100 mg
- ◆ Polidasa®
- ◆ Prareduct®, 10 mg, 20 mg
- ◆ Pre par®, 10 mg
- ◆ Prednisona Alonga®, 5 mg, 10 mg, 50 mg
- ◆ Prefin®, 0,2 mg
- ◆ Prepulsid®, 5 mg
- ◆ Preslow®, 5 mg
- ◆ Prevencor®, 10 mg
- ◆ Primolut Nor®, 5 mg, 10 mg
- ◆ Primosiston®
- ◆ Pro Actidil®, 10 mg
- ◆ Pro Ulco®, 30 mg
- ◆ Profasi HP®, 500 UI, 1000 UI, 2500 UI, 10000 UI
- ◆ Progandol®, 2 mg, 4 mg
- ◆ Progevera®, 5 mg, 10 mg
- ◆ Prograf®, 1 mg, 5 mg
- ◆ Progyluton®
- ◆ Progynova®, 1 mg
- ◆ Promaxol®, 50 mcg
- ◆ Prostaglandina E2®, 0,5 mg
- ◆ Prostamal®, 25 mg
- ◆ Protaxil®, 150 mg
- ◆ Protector®, 2,5 mg/25 mg
- ◆ Proviron®, 25 mg
- ◆ Psicocen®, 50 mg
- ◆ Pursenid®, 12 mg
  
- ◆ Quenocol®, 250 mg
- ◆ Quetzal®, 300 mg
- ◆ Quedorm®, 15 mg
- ◆ Quimodril®
  
- ◆ Ranitidina Normon®, 150 mg, 300 mg
- ◆ Ranitidina Tamarang®, 150 mg, 300 mg
- ◆ Recca®, 5 mg
- ◆ Redoxon®, 500 mg
- ◆ Regender®, 120 mg
- ◆ Renitec®, 5 mg, 20 mg
- ◆ Renitecmax®, 20/6 mg
- ◆ Renormax®, 6 mg
- ◆ Renpress®, 6 mg
- ◆ Requip®, 0,25 mg, 0,5 mg, 1 mg, 2 mg, 5 mg
- ◆ Retens®, 100 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Retolen®, 10 mg
- ◆ Reumoquin®, 50 mg
- ◆ Reusin®, 50 mg
- ◆ Reutenox®, 20 mg
- ◆ Revia®, 50 mg
- ◆ Rexer®, 15 mg, 30 mg
- ◆ Ridaura®, 3 mg
- ◆ Rifaldin®, 600 mg
- ◆ Rifedot®, 10 mg
- ◆ Rimactan®, 300 mg
- ◆ Rimbol®, 10 mg
- ◆ Rinomicine®
- ◆ Riniretard®
- ◆ Ristalen®, 20 mg
- ◆ Rivotril®, 0,5 mg, 2 mg
- ◆ Rohipnol®, 1 mg
- ◆ Romilar®, 15 mg
- ◆ Rovamycine®, 1500000 UI
- ◆ Roxiwas®, 150 mg
- ◆ Rubia Paver®
- ◆ Rulun®
  
- ◆ Salongo vaginal®, 600 mg
- ◆ Salvalion®
- ◆ Sandomigran®, 0,5 mg
- ◆ Sarilen®, 75 mg, 150 mg
- ◆ Secadrex®, 400/25 mg
- ◆ Secalip®, 200 mg
- ◆ Secrepina®, 20 mg
- ◆ Sectral®, 400 mg
- ◆ Seguril®, 40 mg
- ◆ Seloken®, 100 mg, 200 mg
- ◆ Selopresin®, 100/12,5 mg
- ◆ Serevent accuhaler®
- ◆ Sermion gotas®
- ◆ Seropram®, 20 mg
- ◆ Sevredol®, 10 mg
- ◆ Siaten®, 7,5 mg
- ◆ Sibelium®, 5 mg
- ◆ Sico Relax®, 5 mg
- ◆ Silarine®, 80 mg
- ◆ Sinefricol®
- ◆ Singulair®, 10 mg
- ◆ Sinogan®, 25 mg, 100 mg
- ◆ Sintonal®, 0,25 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Sintrom®, 4 mg
- ◆ Sintrom uno®, 1 mg
- ◆ Sirdalud®, 2 mg, 4 mg
- ◆ Skelid®, 200 mg
- ◆ Smokeless®, 2 mg
- ◆ Solacap®, 150 mg
- ◆ Solufilina simple®, 100 mg
- ◆ Somatarax®
- ◆ Somnovit®, 1 mg
- ◆ Sonicur®, 50 mg
- ◆ Sotapor®, 80 mg
- ◆ Sovarel®, 50 mg
- ◆ Soñodor®, 50 mg
- ◆ Spasmo Urogenin®
- ◆ Spiropent®, 20 mcg
- ◆ Stilnox®, 10 mg
- ◆ Stopcold®
- ◆ Stugeron®, 75 mg
- ◆ Suavuret®
- ◆ Sugiran®, 20 mcg
- ◆ Sular®, 10 mg, 20 mg, 30 mg, 40 mg
- ◆ Sumial®, 10 mg, 40 mg
- ◆ Surem®, 80 mg
- ◆ Surmentil®, 100 mg
- ◆ Surnox®, 200 mg
- ◆ Survector®, 100 mg
- ◆ Synapause®, 2 mg
- ◆ Syscor®, 10 mg
  
- ◆ Tairal®, 20 mg, 40 mg
- ◆ Taloxa®, 400 mg, 600 mg
- ◆ Tamoxifeno Farmitalia®, 10 mg, 20 mg
- ◆ Tamoxifeno Funk®, 10 mg, 20 mg
- ◆ Tamoxifeno Lepori®, 10 mg
- ◆ Tamoxifeno Rathiopharm®, 10 mg
- ◆ Tamoxifeno Wassermann®, 10 mg
- ◆ Tanzal®, 30 mg
- ◆ Tarivid®, 200 mg
- ◆ Tarka®, 180/20 mg
- ◆ Tavegil®, 1 mg
- ◆ Tefavinca®, 20 mg
- ◆ Tegisec®, 10 mg
- ◆ Tenso Stop®, 20 mg
- ◆ Tenso Stop plus®, 20/12,5 mg
- ◆ Tensocardil®, 10 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Tensogradal®, 10 mg, 20 mg
- ◆ Tenuatina®, 1 mg
- ◆ Tepavil®, 50 mg
- ◆ Tepavil forte®, 200 mg
- ◆ Tepazepam®
- ◆ Terbasmin®, 2,5 mg
- ◆ Terbasmin expectorante®
- ◆ Terranilo®
- ◆ Tetra Hubber®, 250 mg
- ◆ Theo Dur Retard®, 100 mg, 200 mg, 300 mg
- ◆ Theo Max®, 100 mg, 200 mg, 300 mg
- ◆ Theolair retard®, 175 mg, 250 mg
- ◆ Theoplus®, 300 mg
- ◆ Thyrax®, 25 mg, 100 mg
- ◆ Tiadipona®, 25 mg
- ◆ Tilcotil®, 20 mg
- ◆ Tioguanina Welcome®, 40 mg
- ◆ Tipodex®, 20 mg, 40 mg
- ◆ Titrane®, 20 mg, 40 mg, 60 mg
- ◆ Tofranil®, 10 mg, 25 mg, 50 mg
- ◆ Tolecen®, 300 mg
- ◆ Tonum®, 10 mg
- ◆ Topamax®, 25 mg, 50 mg, 100 mg, 200 mg
- ◆ Toradol®, 10 mg
- ◆ Toraseptol®, 250 mg
- ◆ Torecan®, 6,5 mg
- ◆ Tosifar®, 160 mg
- ◆ Trandate®, 100 mg, 200 mg
- ◆ Trangorex®, 200 mg
- ◆ Trankimazin®, 0,25 mg, 0,5 mg, 1 mg, 2 mg
- ◆ Trankimazin retard®, 1 mg
- ◆ Tranxilium pediat®, 2,5 mg
- ◆ Trasicor retard®, 160 mg
- ◆ Trasitensins retard®, 160/20 mg
- ◆ Trautil®, 5 mg, 10 mg
- ◆ Trendinol®, 10 mg
- ◆ Triagynon®
- ◆ Trialona accuhaler®
- ◆ Tricen®, 180/2 mg
- ◆ Trifosfaneurina B12®
- ◆ Trifosfaneurina B6 fte®
- ◆ Trigynovin®
- ◆ Triniagar®, 50/50 mg
- ◆ Tryptizol®, 10 mg, 25 mg, 50 mg, 75 mg

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Ulcesep®, 20 mg
- ◆ Ulcetrax®, 20 mg
- ◆ Uniket®, 20 mg, 40 mg
- ◆ Uniket retard®, 50 mg
- ◆ Uraplex®, 20 mg
- ◆ Urbason®, 4 mg, 16 mg, 40 mg
- ◆ Urdrim®, 10 mg
- ◆ Urfamycin®, 250 mg
- ◆ Uroaudal®, 100 mg
- ◆ Urocaudal tiazida®, 50/25 mg
- ◆ Uroctal®, 400 mg
- ◆ Uronid®, 200 mg
- ◆ Ursochol®, 150 mg
- ◆ Utefos®, 400 mg
- ◆ Uticox®, 7,5 mg, 15 mg
  
- ◆ Vac Antitífica Or Evans®
- ◆ Valdispert®, 45 mg
- ◆ Valium®, 5 mg, 10 mg
- ◆ Varson®, 5 mg
- ◆ Vasonase®, 20 mg
- ◆ Vatrasin®, 20 mg
- ◆ Velbacil®, 400 mg
- ◆ Velocef forte®, 500 mg
- ◆ Velodan®, 10 mg
- ◆ Venoplant®
- ◆ Vent Retard®, 200 mg, 600 mg
- ◆ Ventolase®, 20 mcg
- ◆ Ventolin®, 2 mg, 4 mg
- ◆ Vernies®, 0,4 mg
- ◆ Viagra®, 25 mg, 50 mg, 100 mg
- ◆ Viatine®, 10 mg
- ◆ Vibracina®, 100 mg
- ◆ Vincacen®, 20 mg
- ◆ Vincaminol®, 20 mg
- ◆ Vincrisul®, 1 mg
- ◆ Vinpocetina Covex®, 5 mg
- ◆ Viramune®, 200 mg
- ◆ Virlix®, 10 mg
- ◆ Virmen®, 200 mg
- ◆ Viru Serol 1% gel®
- ◆ Visrgil®
- ◆ Vitaber A E®
- ◆ Vitaber PP + E®
- ◆ Vitamina D3 Berenguer®, 200000 UI

Autor: Dra. Patricia Bravo  
Servicio de Farmacia  
Institut Universitari Dexeus

- ◆ Voltaren®, 50 mg
- ◆ Voltric®, 10 mg
  
- ◆ Winstrol®, 2 mg
  
- ◆ Yatrox®, 4 mg, 8 mg
  
- ◆ Zamene®, 6 mg, 30 mg
- ◆ Zandip®, 10 mg
- ◆ Zarator®, 10 mg
- ◆ Zarocs®, 75 mg, 150 mg
- ◆ Zentavion®, 250 mg
- ◆ Zerit®, 15 mg, 20 mg, 30 mg, 40 mg
- ◆ Zimadoce®, 3 mg
- ◆ Zofran®, 4 mg, 8 mg
- ◆ Zolistan®, 10 mg
- ◆ Zomig®, 2,5 mg
- ◆ Zyloric®, 100 mg, 300 mg
- ◆ Zyprexa®, 2,5 mg, 5 mg, 7,5 mg, 10 mg
- ◆ Zyrtec®, 10 mg